


### About

Cooling tub with various dimension widths: for optimum usage of space. Suitable for kitchen, canteens, restaurants or hospital. The primary use is to hold food that requires low temperature. Tub is used for the preparation, preservation and delivery of refrigerated food or beverages. Suitable for gastro containers.

Made from stainless steel material, so it is easy to clean and guarantees a long term service life.

### Technical drawing



### Illustrative pictures

1GN

2GN

3GN

4GN

5GN

6GN



### Specification list

	1GN	2GN	3GN
<b>Outside dimension:</b>			
Width (x) [mm]	425	750	1075
Depth (y) [mm]		630	
Height (z) [mm]		625	
<b>Installation dimension:</b>			
Width (x) [mm]	395	720	1045
Depth (x) [mm]		595	
Temperature		+3°C ~ +8°C	
Cooling medium		R600	
Refr. capacity (evap. @ -10°C)	0,14kW	0,17kW	0,28kW
Voltage		1, N, PE ~ 230V, 50Hz	
Power input	0,18kW	0,19kW	0,2kW
Current draw	1,1A	1,3A	1,4A
Central cooled Power input / Current draw		~ 0,03kW / ~ 0,25A	

	4GN	5GN	6GN
<b>Outside dimension:</b>			
Width (x) [mm]	1400	1725	2050
Depth (y) [mm]		630	
Height (z) [mm]		625	
<b>Installation dimension:</b>			
Width (x) [mm]	1370	1695	2020
Depth (x) [mm]		595	
Temperature		+3°C ~ +8°C	
Cooling medium		R290	
Refr. capacity (evap. @ -10°C)	0,35kW	0,35kW	0,42kW
Voltage		1, N, PE ~ 230V, 50Hz	
Power input	0,22kW	0,24kW	0,24kW
Current draw	1,4A	1,6A	1,6A
Central cooled Power input / Current draw		~ 0,03kW / ~ 0,25A	

## Our production

### With aggregate

Model	Order number	Price
<b>Our production</b>		
1GN - static, welded	V1-030500-0029	
2GN - static, welded	V1-030500-0030	
3GN - static, welded	V1-030500-0031	
4GN - static, welded	V1-030500-0032	
5GN - static, welded	V1-030500-0033	
6GN - static, welded	V1-030500-0034	
1GN - static, drop-in	V1-030500-0001	
2GN - static, drop-in	V1-030500-0002	
3GN - static, drop-in	V1-030500-0003	
4GN - static, drop-in	V1-030500-0004	
5GN - static, drop-in	V1-030500-0005	
6GN - static, drop-in	V1-030500-0006	

### Central cooled

Model	Order number	Price
<b>Our production</b>		
1GN - static, welded	V1-030500-0035	
2GN - static, welded	V1-030500-0036	
3GN - static, welded	V1-030500-0037	
4GN - static, welded	V1-030500-0038	
5GN - static, welded	V1-030500-0039	
6GN - static, welded	V1-030500-0040	
1GN - static, drop-in	V1-030500-0007	
2GN - static, drop-in	V1-030500-0008	
3GN - static, drop-in	V1-030500-0009	
4GN - static, drop-in	V1-030500-0010	
5GN - static, drop-in	V1-030500-0011	
6GN - static, drop-in	V1-030500-0012	

## Premanufactured

### With aggregate

Model	Order number	Price
<b>Premanufactured tub</b>		
1GN pressed - static, welded	V1-030500-0013	
2GN pressed - static, welded	V1-030500-0014	
3GN pressed - static, welded	V1-030500-0015	
4GN pressed - static, welded	V1-030500-0016	
1GN pressed - static, drop-in	V1-030500-0021	
2GN pressed - static, drop-in	V1-030500-0022	
3GN pressed - static, drop-in	V1-030500-0023	
4GN pressed - static, drop-in	V1-030500-0024	

### Central cooled

Model	Order number	Price
<b>Premanufactured tub</b>		
1GN pressed - static, welded	V1-030500-0017	
2GN pressed - static, welded	V1-030500-0018	
3GN pressed - static, welded	V1-030500-0019	
4GN pressed - static, welded	V1-030500-0020	
1GN pressed - static, drop-in	V1-030500-0025	
2GN pressed - static, drop-in	V1-030500-0026	
3GN pressed - static, drop-in	V1-030500-0027	
4GN pressed - static, drop-in	V1-030500-0028	

\* The evaporation tub is not included as a standard part of the product;  
it must be specified when placing the order.