

About


Over ventilated tub is used for the circulating of cooled air to keep all products at the ideal temperature. Thanks to free access to your products, the cooling tub allows easier handling for the service. Suitable for slicing a cake and then easy to pick up. It is suitable for restaurants, fast food, hospitals, canteens and many others.

The tub contains a digital defrosting and digital temperature control. The plate can be folded upwards with evaporator - 37° and locked in the top position.

The evaporator is located directly under the plate. Two positions of the plate - straight and inclined (tilts towards the customer (5°). This function is also suitable for better maintenance and service.

Made from stainless steel material, so it is easy to clean and guarantees a long term service life.

Technical drawing



Illustrative pictures

2EN



3EN



4EN



Specification list

	2EN	3EN	4EN
Outside dimension:			
Width (x) [mm]	894	1294	1747
Depth (y) [mm]	781		
Height (z) [mm]	259 + 360		
Installation dimension:			
Width (x) [mm]	870	1270	1723
Depth (y) [mm]	757		
Temperature	+4°C ~ +8°C		
Cooling medium	R290		
Refr. capacity (evap. @ -10°C)	0,55kW	0,64kW	0,9kW
Voltage	1, N, PE ~ 230V, 50Hz		
Power input	0,45kW	0,54kW	0,8kW
Central cooled	0,55kW	0,64kW	0,9kW
Material	Edelstahl		

Accessories	Order number	Price
Painting		on demand

With aggregate

Model	Order number	Price
Inclined 5° - 2EN, aggregate	V2-030400-0197	
Inclined 5° - 3EN, aggregate	V2-030400-0198	
Inclined 5° - 4EN, aggregate	V2-030400-0168	
Inclined 5° - 4EN (2+2), aggregate	V2-030400-0167	

Central cooled

Model	Order number	Price
Inclined 5° - 2EN, Central cooled	V2-030400-0231	
Inclined 5° - 3EN, Central cooled	V2-030400-0232	
Inclined 5° - 4EN, Central cooled	V2-030400-0234	
Inclined 5° - 4EN (2+2), Central cooled	V2-030400-0233	

If you want a larger size of the over ventilated cooling tub beyond these dimensions listed in the table, let us know.


About

Over ventilated tub is used for the circulating of cooled air to keep all products at the ideal temperature. Thanks to free access to your products, the cooling tub allows easier handling for the service. Suitable for slicing a cake and then easy to pick up. It is suitable for restaurants, fast food, hospitals, canteens and many others.

The tub contains a digital defrosting and digital temperature control. The plate can be folded upwards with evaporator - 37° and locked in the top position.

The evaporator is located directly under the plate. Two positions of the plate - straight and inclined (tilts towards the customer (8°).

Made from stainless steel material, so it is easy to clean and guarantees a long term service life.

Technical drawing**Illustrative pictures****2EN****3EN****4EN**

Specification list

	2EN	3EN	4EN
Outside dimension:			
Width (x) [mm]	894	1294	1747
Depth (y) [mm]	781		
Height (z) [mm]	300 + 360		
Installation dimension:			
Width (x) [mm]	870	1270	1723
Depth (y) [mm]	757		
Temperature	+4°C ~ +8°C		
Cooling medium	R290		
Refr. capacity (evap. @ -10°C)	0,55kW	0,64kW	0,9kW
Voltage	1, N, PE ~ 230V, 50Hz		
Power input	0,45kW	0,54kW	0,8kW
Central cooled	0,55kW	0,64kW	0,9kW
Material	Edelstahl		

Accessories

	Order number	Price
Painting		on demand

With aggregate

Model	Order number	Price
Inclined 8° - 2EN, aggregate	V2-030400-0235	
Inclined 8° - 3EN, aggregate	V2-030400-0236	
Inclined 8° - 4EN, aggregate	V2-030400-0166	
Inclined 8° - 4EN (2+2), aggregate	V2-030400-0165	

Central cooled

Model	Order number	Price
Inclined 8° - 2EN, Central cooled	V2-030400-0241	
Inclined 8° - 3EN, Central cooled	V2-030400-0242	
Inclined 8° - 4EN, Central cooled	V2-030400-0244	
Inclined 8° - 4EN (2+2), Central cooled	V2-030400-0243	

If you want a larger size of the over ventilated cooling tub beyond these dimensions listed in the table, let us know.